

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	Zhejiang Chint Electrics Co.,Ltd.	Other Name	
Address	No.1, Chint Road,Chint Industrial Zone, North Baixiang, Yueqing Zhejiang 325603 China		
Client ID	108754	Global-Mark File Number:	108754-004
Certificate Number & Approval Mark	GMA-517176-EA	Revision Number	00
Certification Standard(s)	AS/NZS 60898.1:2004 Electrical accessories - Circuit-breakers for overcurrent protection for household and similar installations - Circuit-breakers for a.c. operation		
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme

CERTIFICATE DATES

Certificate Issue Date	21/11/2023
Certificate Last Update Date	
Certification Expiry Date	21/11/2028

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PB1	In=1A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PB1.6	In=1.6A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PB2	In=2A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PB3	In=3A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PB4	In=4A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PB5	In=5A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PB6	In=6A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PB8	In=8A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PB10	In=10A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PB13	In=13A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PB16	In=16A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PB20	In=20A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PB25	In=25A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PB32	In=32A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PB40	In=40A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PB50	In=50A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PB63	In=63A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PC1	In=1A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PC1.6	In=1.6A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PC2	In=2A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PC3	In=3A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PC4	In=4A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PC5	In=5A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PC6	In=6A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PC8	In=8A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PC10	In=10A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PC13	In=13A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PC16	In=16A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PC20	In=20A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PC25	In=25A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PC32	In=32A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PC40	In=40A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PC50	In=50A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PC63	In=63A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PD1	In=1A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PD1.6	In=1.6A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PD2	In=2A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PD3	In=3A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PD4	In=4A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PD5	In=5A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PD6	In=6A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PD8	In=8A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PD10	In=10A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PD13	In=13A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PD16	In=16A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PD20	In=20A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PD25	In=25A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PD32	In=32A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PD40	In=40A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PD50	In=50A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PD63	In=63A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNB1	In=1A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNB1.6	In=1.6A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNB2	In=2A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNB3	In=3A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNB4	In=4A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNB5	In=5A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNB6	In=6A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNB8	In=8A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNB10	In=10A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNB13	In=13A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNB16	In=16A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNB20	In=20A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNB25	In=25A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNB32	In=32A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNB40	In=40A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNB50	In=50A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNB63	In=63A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNC1	In=1A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNC1.6	In=1.6A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNC2	In=2A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNC3	In=3A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNC4	In=4A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNC5	In=5A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNC6	In=6A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNC8	In=8A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNC10	In=10A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNC13	In=13A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNC16	In=16A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNC20	In=20A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNC25	In=25A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNC32	In=32A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNC40	In=40A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNC50	In=50A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PNC63	In=63A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PND1	In=1A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PND1.6	In=1.6A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PND2	In=2A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PND3	In=3A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager





global-mark®

Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PND4	In=4A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PND5	In=5A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PND6	In=6A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PND8	In=8A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PND10	In=10A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PND13	In=13A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PND16	In=16A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PND20	In=20A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PND25	In=25A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PND32	In=32A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PND40	In=40A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PND50	In=50A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 1PND63	In=63A,230/240V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PB1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PB1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



JAS-ANZ





global-mark®

Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PB2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PB3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PB4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PB5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PB6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PB8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PB10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PB13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PB16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PB20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PB25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PB32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PB40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PB50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PB63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



JAS-ANZ





global-mark®

Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PC1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PC1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PC2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PC3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PC4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PC5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PC6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PC8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PC10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PC13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PC16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PC20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PC25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PC32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PC40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



JAS-ANZ



Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PC50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PC63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PD1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PD1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PD2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PD3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PD4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PD5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PD6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PD8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PD10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PD13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PD16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PD20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PD25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PD32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PD40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PD50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 2PD63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PB1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PB1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PB2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PB3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PB4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PB5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PB6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PB8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PB10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PB13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PB16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PB20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PB25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PB32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PB40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PB50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PB63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PC1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PC1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PC2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PC3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PC4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PC5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PC6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PC8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PC10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PC13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PC16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PC20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PC25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PC32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PC40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PC50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PC63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PD1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PD1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PD2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PD3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PD4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PD5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PD6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PD8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PD10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PD13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PD16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PD20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PD25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PD32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PD40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PD50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PD63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PB1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PB1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PB2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PB3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PB4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PB5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PB6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PB8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PB10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PB13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PB16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PB20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PB25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PB32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PB40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PB50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PB63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PC1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PC1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PC2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager






global-mark®

Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PC3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PC4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PC5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PC6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PC8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PC10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PC13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PC16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PC20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PC25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PC32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PC40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PC50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PC63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PD1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



JAS-ANZ



Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PD1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PD2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PD3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PD4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PD5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PD6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PD8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PD10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PD13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PD16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PD20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PD25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PD32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PD40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PD50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 4PD63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNB1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNB1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNB2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNB3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNB4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNB5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNB6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNB8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNB10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNB13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNB16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNB20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNB25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNB32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNB40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNB50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNB63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNC1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNC1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNC2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNC3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNC4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNC5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNC6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNC8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNC10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNC13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNC16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNC20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNC25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNC32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNC40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNC50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PNC63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PND1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PND1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PND2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PND3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PND4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PND5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PND6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PND8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PND10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PND13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PND16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PND20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PND25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PND32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PND40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PND50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63H 3PND63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Ics= 7500A, Icn=10000A

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION
Nil

End of document

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

