



ශ්‍රී ලංකා ප්‍රමිති ආයතනය  
இலங்கை கட்டளைகள் நிறுவனம்  
Sri Lanka Standards Institution



අංක. 17, වික්ටෝරියා පෙදෙස, ඇල්විගල මාවත, කොළඹ 08, ශ්‍රී ලංකාව  
இல. 17, வீக்டோரியா பிளேஸ், எல்விடிகல மாவத்தை, கொழும்பு 08, இலங்கை  
No.17, Victoria Place, Elvitigala Mawatha, Colombo 08, Sri Lanka

කැ.පෙ. }  
த. பெ. } 17  
P.O. Box }

දුරකථන } +94 11 2671567 -72  
தொலைபேசி } +94 11 2674618  
Telephone } +94 11 2697039  
+94 11 5354319  
E-mail: slsi@slsi.lk

ෆැක්ස් } +94 11 2671579  
பெக்ஸ் } +94 11 2672617  
Fax }  
Web site: www.slsi.lk

ඔබේ යොමුව }  
உமது குறிப்பு }  
Your Ref. }

අපේ යොමුව } F/PC/F/61  
எமது குறிப்பு }  
Our Ref. }

දිනය } 2024-01-11  
திகதி }  
Date }

Chief Executive Officer  
Zhejiang Chint Electrics Co. Ltd.  
No. 1, Chint Road, Chint Industrial Zone  
North Baixiang, Yueqing  
Zhejiang Province  
China 325 603.

Dear Sir,

**PRODUCT CERTIFICATION SCHEME**  
**EXTENSION OF THE VALIDITY OF THE PERMIT TO USE THE SLS MARK ON**  
**"CHINT" BRAND RESIDUAL CURRENT OPERATED CIRCUIT BREAKERS (RCCB)**  
**MANUFACTURED BY ZHEJIANG CHINT ELECTRICS CO. LTD. (PERMIT NO. 907)**

We are pleased to inform you that the Sri Lanka Standards Institution has decided to extend the validity of the permit to use SLS mark on the above mentioned product, to be valid upto 2024-05-08, subject to your agreement to abide by the,

- General Permit Conditions (TG -CP -02, Issue No. 02) ;
- Specific Permit Conditions (FM -CP -17, Issue No. 03) ;
- Fee structure under the SLS Marks Scheme (GL-CP-02A, Issue No. 02) ; and
- Geometrical Sketch of the SLS Mark (GL -CP -07, Issue No. 01) ;

which are annexed herewith.

This scheme is governed by the Certification Marks Regulations (GL-CP -03), a copy of which is also annexed.

If you are agreeable to these conditions, you are kindly requested to **place your signature in the space provided below and send one copy of this letter back to us within 14 working days.**

Upon receipt of these documents duly signed by you, we will issue the Permit.

Thank you.  
Yours faithfully,  
For Sri Lanka Standards Institution

*BSP*

**(Ms.) B S P Perera**  
**Director (Product Certification)**  
**For Director General**

Director General,  
SLSI

We hereby agree to abide by all the conditions referred in this letter.

Signature of the CEO : *[Signature]*

Name : Lisa Wu

Designation : Manager - Asia Pacific Region

Name of the Company : ZHEJIANG CHINT ELECTRICS CO. LTD

Date : 2024-01-19

For and on behalf of  
ZHEJIANG CHINT ELECTRICS CO., LTD  
浙江正泰电器股份有限公司  
*[Signature]*  
Authorized Signature(s)



# SRI LANKA STANDARDS INSTITUTION



## PRODUCT CERTIFICATION SCHEME

### SPECIFIC PERMIT CONDITIONS UNDER WHICH THE PERMIT NO. 907 IS ISSUED

Issue No: 03

Date of Issue of the Conditions: 2024-01-11  
Effective Date: 2023-05-09

Page No: 01 of 02

#### **Product with Brand Name: "Chint" Brand Residual Current Operated Circuit Breaker (RCCB)**

#### **1.0 SCOPE OF THE PERMIT** (Refer clause 2.1 of the General Permit Conditions)

**1.1** This Permit is issued to "Chint" Brand Residual Current Operated Circuit Breakers (hereinafter referred to as "RCCBs") of the following varieties/types given in 1.2 below, manufactured by M/S Zhejiang Chint Electrics Co. Ltd., (hereinafter referred to as the "Permit Holder") conforming to the requirements specified in the Sri Lanka Standard Specification for Residual Current Operated Circuit Breakers without integral Overcurrent Protection for Household and Similar Uses; SLS 1099-Part I : 2015 and SLS 1099-Part 2.1 : 1095 at the factory located at No. 01, Chint Road, Chint Industrial Zone, North Baixiang, Yueqing, Zhejiang Province, China 325 603 and exported to Sri Lanka.

#### **1.2** The Permit covers following product Types/Varieties:

1.2.1	NL1-63	6kA/10kA	(2, 4) Poles	- 30mA	40A, 63A
1.2.2	NL1-63	6kA/10kA	(2, 4) Poles	- 100mA	40A, 63A
1.2.3	NL1-63	6kA/10kA	(2, 4) Poles	- 300mA	40A, 63A

**1.3** If the permit holder intends to export any product types/ varieties not mentioned in above 1.1 the Sri Lanka Standards Institution (hereinafter referred to as the "SLSI") shall be informed and writing authorization from SLSI shall be obtained prior to exporting the product to Sri Lanka.

#### **2.0 IMPORTED PRODUCTS** (Refer Clause 2.5 of the General Permit Conditions)

The clause 2.5 of the General Permit Conditions is not applicable to the Permit Holder.

#### **3.0 CERTIFICATION MARK** (Refer Clause 3.1 of General Permit Conditions)

The Certification Mark (SLS Mark) as given in Column 1 of the Schedule of the Permit shall be embossed on each and every RCCB and its dimensions shall comply with the diagram attached herewith (Refer GL-CP- 07 of SLSI).

#### **4.0 OTHER MARKINGS** (Refer Clause 3.3 of General Permit Conditions)

Individual RCCB shall be marked as specified in SLS 1099: Part I: 2015 and in SLS 1099: Part 2.1: 1095.



# SRI LANKA STANDARDS INSTITUTION



## PRODUCT CERTIFICATION SCHEME

### SPECIFIC PERMIT CONDITIONS UNDER WHICH THE PERMIT NO. 907 IS ISSUED

Issue No: 03

Date of Issue of the Conditions: 2024-01-11  
Effective Date: 2023-05-09

Page No: 02 of 02

**Product with Brand Name: "Chint" Brand Residual Current Operated Circuit Breaker (RCCB)**

#### 5.0 QUALITY SYSTEM (Refer Clause 4.1 of General Permit Conditions)

5.1 The manufacturer shall have a valid certification against ISO 9001: 2015.

5.2 The Quality Assurance System of the manufacturer shall comply with the Quality System Requirements specified in ISO 9001: 2015.

5.3 The product shall conform to the requirements specified in SLS 1099: Part I: 2015 and in SLS 1099: Part 2.1: 1095.

#### 6.0 LEGAL REQUIREMENTS

The Permit Holder shall abide by all the legal requirements imposed in the country, relevant to product.

#### 7.0 VALIDITY OF THE PERMIT AND RENEWAL OF THE PERMIT (Refer Clause 8 of General Permit Conditions)

The Permit is valid for a period indicated in the Permit, unless otherwise cancelled by the Sri Lanka Standards Institution due to non compliance by the Permit Holder with any of the conditions under which this Permit has been issued. If the Permit Holder wishes to get the Permit renewed, he shall make a request to the Sri Lanka Standards Institution to that effect three months prior to the date of expiry of the Permit.

#### 8.0 PUBLICITY

The Manufacturer and Distributer are free to publish for the duration of the validity of the Permit that it is a SLS certified product. The publicity shall be provided only for the products falling under the scope of this Permit (Clause 1.0 of the Specific Permit Conditions).







ශ්‍රී ලංකා ප්‍රමිති ආයතනය  
இலங்கை கட்டளைகள் நிறுவனம்  
Sri Lanka Standards Institution



අංක. 17, වික්ටෝරියා පොදෙස, ඇල්විටිගල මාවත, කොළඹ 08, ශ්‍රී ලංකාව  
இல. 17, வீக்டோரியா பிளேஸ், எல்விட்டிகல மாவத்தை, கொழும்பு 08, இலங்கை  
No.17, Victoria Place, Elvitigala Mawatha, Colombo 08, Sri Lanka

තැ.පෙ. }  
த. பெ. } 17  
P.O. Box }

දුරකථන } +94 11 2671567 -72  
தொலைபேசி } +94 11 2674618  
Telephone } +94 11 2697039  
+94 11 5354319  
E-mail: slsi@slsi.lk

ෆැක්ස් } +94 11 2671579  
பெக்ஸ் } +94 11 2672617  
Fax }  
Web site: www.slsi.lk

මගේ යොමුව }  
உமது குறிப்பு }  
Your Ref. }

අපේ යොමුව } F/PC/F/60  
எமது குறிப்பு }  
Our Ref. }

දිනය } 2024-01-11  
திகதி }  
Date }

Chief Executive Officer  
Zhejiang Chint Electrics Co. Ltd.  
No. 1, Chint Road, Chint Industrial Zone  
North Baixiang, Yueqing  
Zhejiang Province  
China 325 603.

Dear Sir,

**PRODUCT CERTIFICATION SCHEME  
EXTENSION OF THE VALIDITY OF THE PERMIT TO USE THE SLS MARK ON  
"CHINT" BRAND MINIATURE CIRCUIT BREAKERS (MCB) MANUFACTURED BY  
ZHEJIANG CHINT ELECTRICS CO. LTD. (PERMIT NO. 906)**

We are pleased to inform you that the Sri Lanka Standards Institution has decided to extend the validity of the permit to use SLS mark on the above mentioned product, to be valid upto 2024-05-08, subject to your agreement to abide by the,

- General Permit Conditions (TG -CP -02, Issue No. 02) ;
- Specific Permit Conditions (FM -CP -17, Issue No. 03) ;
- Fee structure under the SLS Marks Scheme (GL-CP-02A, Issue No. 02) ; and
- Geometrical Sketch of the SLS Mark (GL -CP -07, Issue No. 01) ;

which are annexed herewith.

This scheme is governed by the Certification Marks Regulations (GL-CP -03), a copy of which is also annexed.

If you are agreeable to these conditions, you are kindly requested to **place your signature in the space provided below and send one copy of this letter back to us within 14 working days.**

Upon receipt of these documents duly signed by you, we will issue the Permit.

Thank you.  
Yours faithfully,  
For Sri Lanka Standards Institution

*RS P Perera*

**(Ms.) B S P Perera  
Director (Product Certification)  
For Director General**

Director General,  
SLSI

We hereby agree to abide by all the conditions referred in this letter.

Signature of the CEO : *[Signature]*

Name : Lisa Wu

Designation : Manager - Asia Pacific Region

Name of the Company : ZHEJIANG CHINT ELECTRICS CO. LTD

Date : 2024-01-19

For and on behalf of  
ZHEJIANG CHINT ELECTRICS CO., LTD  
浙江正泰电器股份有限公司  
*[Signature]*  
Authorized Signature(s)

සභාපති }  
தலைவர் }  
Chairman } Tel : +94 11 2671573  
Fax: +94 11 2687523

අධ්‍යක්ෂ ජනරාල්/ ප්‍රධාන විධායක }  
பணிப்பாளர் நாயகம்/பிரதம நிர்வாகியர் }  
Director General/Chief Executive } Tel : +94 11 2671574  
Fax: +94 11 2671579



# SRI LANKA STANDARDS INSTITUTION



## PRODUCT CERTIFICATION SCHEME

### SPECIFIC PERMIT CONDITIONS UNDER WHICH THE PERMIT NO. 906 IS ISSUED

Issue No: 03

Date of Issue of the Conditions: 2024-01-11  
Effective Date: 2023-05-09

Page No: 01 of 02

**Product with Brand Name: "Chint" Brand Miniature Circuit Breaker (MCB)**

**1.0 SCOPE OF THE PERMIT** (Refer clause 2.1 of the General Permit Conditions)

**1.1** This Permit is issued to "Chint" Brand Miniature Circuit Breakers (hereinafter referred to as "MCBs") of the following varieties/types given in 1.2 below, manufactured by M/S Zhejiang Chint Electrics Co. Ltd., (hereinafter referred to as the "Permit Holder") conforming to the requirements specified in the Sri Lanka Standard Specification for Circuit Breakers for Overcurrent Protection for Household and Similar Installations; SLS 1175: 2021, at the factory located at No. 01, Chint Road, Chint Industrial Zone, North Baixiang, Yueqing, Zhejiang Province, China 325603 and exported to Sri Lanka.

**1.2** The Permit covers following product Types/Varieties:

1.2.1	EB	4.5kA	(1, 2, 3,4) Pole(s)–	2 A, 6 A, 10 A, 16 A, 20 A, 25A, 32 A, 40 A, 63 A
1.2.2	EBG	6kA	(1, 2, 3,4) Pole(s)–	2 A, 6 A, 10 A, 16 A, 20 A, 25A, 32 A, 40 A, 63 A
1.2.3	NB1-63	6kA	(1, 2, 3,4) Pole(s)–	2 A, 6 A, 10 A, 16 A, 20 A, 25A, 32 A, 40 A, 63 A
1.2.4	NB1-63H	10kA	(1, 2, 3,4) Pole(s)–	2 A, 6 A, 10 A, 16 A, 20 A, 25A, 32 A, 40 A, 63 A
1.2.5	NXB-63	6kA	(1, 2, 3,4) Pole(s)–	2 A, 6 A, 10 A, 16 A, 20 A, 25A, 32 A, 40 A, 63 A
1.2.6	NXB-63H	10kA	(1, 2, 3,4) Pole(s)–	2 A, 6 A, 10 A, 16 A, 20 A, 25A, 32 A, 40 A, 63 A
1.2.7	NB7	6kA	(1, 2, 3,4) Pole(s)–	2 A, 6 A, 10 A, 16 A, 20 A, 25A, 32 A, 40 A, 63 A

**1.3** If the permit holder intends to export any product types/ varieties not mentioned in above 1.1 the Sri Lanka Standards Institution (hereinafter referred to as the "SLSI") shall be informed and writing authorization from SLSI shall be obtained prior to exporting the product to Sri Lanka.

**2.0 IMPORTED PRODUCTS** (Refer Clause 2.5 of the General Permit Conditions)

The clause 2.5 of the General Permit Conditions is not applicable to the Permit Holder.

**3.0 CERTIFICATION MARK** (Refer Clause 3.1 of General Permit Conditions)

The Certification Mark (SLS Mark) as given in Column 1 of the Schedule of the Permit shall be embossed on each and every MCB and its dimensions shall comply with the diagram attached herewith (Refer GL-CP- 07 of SLSI).





# SRI LANKA STANDARDS INSTITUTION



## PRODUCT CERTIFICATION SCHEME

### SPECIFIC PERMIT CONDITIONS UNDER WHICH THE PERMIT NO. 906 IS ISSUED

Issue No: 03

Date of Issue of the Conditions: 2024-01-11  
Effective Date: 2023-05-09

Page No: 02 of 02

**Product with Brand Name: "Chint" Brand Miniature Circuit Breaker (MCB)**

#### 4.0 OTHER MARKINGS (Refer Clause 3.3 of General Permit Conditions)

Individual MCB shall be marked as specified in SLS 1175: 2021.

#### 5.0 QUALITY SYSTEM (Refer Clause 4.1 of General Permit Conditions)

5.1 The manufacturer shall have a valid certification against ISO 9001: 2015.

5.2 The Quality Assurance System of the manufacturer shall comply with the Quality System Requirements specified in ISO 9001: 2015.

5.3 The product shall conform to the requirements specified in SLS 1175: 2021.

#### 6.0 LEGAL REQUIREMENTS

The Permit Holder shall abide by all the legal requirements imposed in the country, relevant to product.

#### 7.0 VALIDITY OF THE PERMIT AND RENEWAL OF THE PERMIT (Refer Clause 8 of General Permit Conditions)

The Permit is valid for a period indicated in the Permit, unless otherwise cancelled by the Sri Lanka Standards Institution due to non compliance by the Permit Holder with any of the conditions under which this Permit has been issued. If the Permit Holder wishes to get the Permit renewed, he shall make a request to the Sri Lanka Standards Institution to that effect three months prior to the date of expiry of the Permit.

#### 8.0 PUBLICITY

The Manufacturer and Distributer are free to publish for the duration of the validity of the Permit that it is a SLS certified product. The publicity shall be provided only for the products falling under the scope of this Permit (Clause 1.0 of the Specific Permit Conditions).

